UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/564,215	01/06/2006	Gerald A. J. Hermkens	8245.091	8848
30589 DUNLAP COD	7590 10/28/200 DDING, P.C.	EXAMINER		
PO BOX 16370			CAILLOUET, CHRISTOPHER C	
OKLAHOMA CITY, OK 73113			ART UNIT	PAPER NUMBER
			1791	
			MAIL DATE	DELIVERY MODE
			10/28/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)		
	10/564,215	HERMKENS ET AL.		
Office Action Summary	Examiner	Art Unit		
	CHRISTOPHER C. CAILLOUET	1791		
The MAILING DATE of this communication ap Period for Reply	opears on the cover sheet with the c	orrespondence address		
A SHORTENED STATUTORY PERIOD FOR REPLAY WHICHEVER IS LONGER, FROM THE MAILING IDENTIFY TO THE MAILING	DATE OF THIS COMMUNICATION .136(a). In no event, however, may a reply be tim d will apply and will expire SIX (6) MONTHS from the, cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).		
Status				
1) ☐ Responsive to communication(s) filed on 27. 2a) ☐ This action is FINAL . 2b) ☐ Th 3) ☐ Since this application is in condition for allowed closed in accordance with the practice under	is action is non-final. ance except for formal matters, pro			
Disposition of Claims				
4) Claim(s) 1-16 is/are pending in the applicatio 4a) Of the above claim(s) 13-16 is/are withdra 5) Claim(s) is/are allowed. 6) Claim(s) 1-12 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/ Application Papers 9) The specification is objected to by the Examination The drawing(s) filed on 06 / appears 2006 is/are	awn from consideration. for election requirement.	to by the Eversiner		
10)⊠ The drawing(s) filed on <u>06 January 2006</u> is/ar Applicant may not request that any objection to the Replacement drawing sheet(s) including the corre 11)□ The oath or declaration is objected to by the E	e drawing(s) be held in abeyance. See ction is required if the drawing(s) is obj	e 37 CFR 1.85(a). lected to. See 37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119				
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 				
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 01/06/2006; 09/16/2008.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate		

Application/Control Number: 10/564,215 Page 2

Art Unit: 1791

Examiner: Caillouet October 25, 2008

METHOD FOR MANUFACTURING A MIDPLANE

Election/Restrictions

1. Applicant's election without traverse of Invention I, claims 1-12 in the reply filed on June 27, 2008 is acknowledged. Invention II, claims 13-16 are withdrawn from further consideration.

Claim Rejections - §102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 3. Claims 1-3 are rejected under 35 U.S.C. 102(a) as being anticipated by Shi et al. (US 20030034174).

Shi et al. (Shi) discloses a method of making a circuit board. Shi discloses that a multilayer board (12) having a connection assembly is bonded to a layer (60, 62) of material (Figure 1d; paragraphs 34). Shi discloses that a portion of the layer is removed exposing the connection assembly (38 & 40) of the multi-layer board (paragraph 36).

As to claim 2, Shi discloses that a space (38 & 40) is formed between the layer and the connection assembly of the multi-layer board (Figure 1d).

As to claim 3, Shi discloses that the layers (60, 62) are in the form of a conductive metallic foil (paragraph 34).

Application/Control Number: 10/564,215 Page 3

Art Unit: 1791

Claim Rejections - §103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

5. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Shi et al. (US 20030034174) as applied to claim 3 above.

As to claim 4, the method of claim 3 is taught as seen above. Shi discloses that the conductive metallic layers attached to the multilayer board are made of aluminum, but is silent as to whether they may comprise of copper clad laminate with copper only on one side. Shi discloses that other conductive layers in the multilayer board may comprise of copper (paragraph 34). It would have been obvious to one of ordinary skill in the art that copper clad layers could be used instead of aluminum because like the aluminum layers, the copper clad layers are electrically conductive.

Furthermore, it would have been obvious to one of ordinary skill in the art at the time of the invention to use a copper layer instead of an aluminum layer because one of ordinary skill in the art would have been able to carry out such a substitution to achieve the predictable result of forming a multilayer board with conductive layers applied thereon. "The combination of familiar elements according to known methods is likely to be obvious when it does no more than yield predictable results." KSR Int'l Co. v. Teleflex Inc., 127 S.Ct. 1727, 82 USPQ2d 1385 (2007).

Art Unit: 1791

6. Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Shi et al. (US 20030034174) as applied to claim 1 above, and further in view of Selk et al. (US 5677515).

The method of claim 1 is taught as seen above. Shi fails to disclose whether depth controlled routing may be used to remove portions of the conductive layer and expose the connector areas (38 & 40). It is the position of the examiner that it is well known in the art to use depth controlled routing to remove areas and form channels on multilayer boards. Selk et al. (Selk) discloses a method of forming a multilayer wiring board (Abstract). Selk discloses that a routing machine can be used to rout a channel or a groove through the upper layers of a multilayer wiring board (column 3, lines 7-14). It would have been obvious to one of ordinary skill in the art at the time of the invention that a known successful method of forming channels in a multilayer wiring board, such as depth controlled routing as taught by Selk, could be used in the method of Shi to remove portions of the metallic conductive layer to expose the connector areas.

7. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Shi et al. (US 20030034174) as applied to claim 1 above, and further in view of Ryan (US 3756891).

Shi fails to disclose whether the multi-layer board (12) may be coated with a material prior to attaching the conductive layers (60, 62), but does disclose that the apertures (38 & 40) are electroplated with an electrically conductive material (98) (paragraph 39). Absent unexpected results, it would have been obvious to one of ordinary skill in the art to apply an electrically conductive coating to the multi-layer board

prior to attaching the conductive layers (60, 62). Ryan discloses a method of making a multilayer circuit board (Abstract). Ryan discloses that a thin conductive layer (14) may be applied to a base substrate (10) that will make the substrate receptive to subsequent electroplating (column 3, lines 30-41). It would have been obvious to one of ordinary skill in the art to incorporate the method of Ryan into the method of Shi and would have been motivated to do because Ryan teaches that by coating the base substrate with a thin conductive layer to make it receptive to subsequent electroplating.

Page 5

Furthermore, it would have been obvious to one of ordinary skill in the art at the time of the invention to use the method of Ryan in the method taught by Shi because one of ordinary skill in the art would have been able to carry out such a substitution to achieve the predictable result of making a surface more receptive to the electroplating step in the method of Shi. "The combination of familiar elements according to known methods is likely to be obvious when it does no more than yield predictable results." *KSR Int'l Co. v. Teleflex Inc.*, 127 S.Ct. 1727, 82 USPQ2d 1385 (2007).

8. Claim 7-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Shi et al. (US 20030034174) in view of Kim et al. (US 20010027875).

As to claim 7, Shi et al. (Shi) discloses a method of making a circuit board. Shi discloses that a multilayer board (12) having a connection assembly is bonded to a layer (60, 62) of material (Figure 1d; paragraphs 34). Shi discloses that a portion of the layer is removed exposing the connection assembly (38 & 40) of the multi-layer board (paragraph 36). Shi is silent as to whether multiple multilayer components may be used in manufacturing the mid-plane. It is the position of the examiner that it is well known in

the art to attach multiple multilayer components to form a midplane, and would have been obvious to one of ordinary skill in the art. Kim et al. (Kim) discloses a method of manufacturing a multilayer circuit board (Abstract). Kim discloses that two multilayer components (67a, 67b) are affixed to one another to form a circuit board (Fig. 7A & 7B; paragraphs 112-114). It would have been obvious to one of ordinary skill in the art to incorporate a known successful method of forming a multilayer circuit board from two multilayer components, as taught by Kim, into the method of Shi and would have been motivated to do so because it would allow the structure to have active connector regions on both sides of the mid-plane, therefore saving space.

Page 6

Absent unexpected results, it would have been obvious to one of ordinary skill in the art that the method of Shi could be used on two multilayer boards to be attached to each other, forming a structure with openings exposing connector areas on both side of the composite.

As to claim 8, Shi discloses that a space (38 & 40) is formed between the layer and the connection assembly of the multi-layer board (Figure 1d).

As to claim 9, Shi discloses that the layers (60, 62) are in the form of a conductive metallic foil (paragraph 34).

As to claim 10, the method of claim 9 is taught as seen above. Shi discloses that the conductive metallic layers attached to the multilayer board are made of aluminum, but is silent as to whether they may comprise of copper clad laminate with copper only on one side. Shi discloses that other conductive layers in the multilayer board may comprise of copper (paragraph 34). It would have been obvious to one of ordinary skill

in the art that copper clad layers could be used instead of aluminum because like the aluminum layers, the copper clad layers are electrically conductive.

Furthermore, it would have been obvious to one of ordinary skill in the art at the time of the invention to use a copper layer instead of an aluminum layer because one of ordinary skill in the art would have been able to carry out such a substitution to achieve the predictable result of forming a multilayer board with conductive layers applied thereon. "The combination of familiar elements according to known methods is likely to be obvious when it does no more than yield predictable results." KSR Int'l Co. v. Teleflex Inc., 127 S.Ct. 1727, 82 USPQ2d 1385 (2007).

9. Claim 11 is rejected under 35 U.S.C. 103(a) as being unpatentable over Shi et al. (US 20030034174) in view of Kim et al. (US 20010027875) as applied to claim 7 above, and further in view of Selk et al. (US 5677515).

The method of claim 7 is taught as seen above. Shi fails to disclose whether depth controlled routing may be used to remove portions of the conductive layer and expose the connector areas (38 & 40). It is the position of the examiner that it is well known in the art to use depth controlled routing to remove areas and form channels on multilayer boards. Selk et al. (Selk) discloses a method of forming a multilayer wiring board (Abstract). Selk discloses that a routing machine can be used to rout a channel or a groove through the upper layers of a multilayer wiring board (column 3, lines 7-14). It would have been obvious to one of ordinary skill in the art at the time of the invention that a known successful method of forming channels in a multilayer wiring board, such

Art Unit: 1791

as depth controlled routing as taught by Selk, could be used in the method of Shi to remove portions of the metallic conductive layer to expose the connector areas.

10. Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over Shi et al. (US 20030034174) in view of Kim et al. (US 20010027875) as applied to claim 7 above, and further in view of Ryan (US 3756891).

Shi fails to disclose whether the multi-layer board (12) may be coated with a material prior to attaching the conductive layers (60, 62), but does disclose that the apertures (38 & 40) are electroplated with an electrically conductive material (98) (paragraph 39). Absent unexpected results, it would have been obvious to one of ordinary skill in the art to apply an electrically conductive coating to the multi-layer board prior to attaching the conductive layers (60, 62). Ryan discloses a method of making a multilayer circuit board (Abstract). Ryan discloses that a thin conductive layer (14) may be applied to a base substrate (10) that will make the substrate receptive to subsequent electroplating (column 3, lines 30-41). It would have been obvious to one of ordinary skill in the art to incorporate the method of Ryan into the method of Shi and would have been motivated to do because Ryan teaches that by coating the base substrate with a thin conductive layer to make it receptive to subsequent electroplating.

Furthermore, it would have been obvious to one of ordinary skill in the art at the time of the invention to use the method of Ryan in the method taught by Shi because one of ordinary skill in the art would have been able to carry out such a substitution to achieve the predictable result of making a surface more receptive to the electroplating

Art Unit: 1791

step in the method of Shi. "The combination of familiar elements according to known methods is likely to be obvious when it does no more than yield predictable results." *KSR Int'l Co. v. Teleflex Inc.*, 127 S.Ct. 1727, 82 USPQ2d 1385 (2007).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to CHRISTOPHER C. CAILLOUET whose telephone number is (571)270-3968. The examiner can normally be reached on Monday - Thursday; 9:30am-4:00pm, EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Phillip Tucker can be reached on (571) 272-1095. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/564,215 Page 10

Art Unit: 1791

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Christopher C Caillouet/ Examiner, Art Unit 1791

/Mark A Osele/

Primary Examiner, Art Unit 1791

October 27, 2008